

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	S111 and (security same (event or instance or anomaly)) "10797773"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:50
L2	1	"20050204162"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/27 08:45
S6	0	"(((useroruser\$1)near5(identifieror identificationorUID)))".PN.	US-PGPUB; USPAT	OR	OFF	2007/05/08 11:32
S7	63586	((user or user\$1) near5 (identifier or identification or UID))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/20 12:39
S8	35	((network or network\$3) near3 (device or device\$1 or apparatus or equipment)) near3 ((security or authenticat\$3 or validat\$3) near3 (event or activit\$3 or incident)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:24
S9	49843	((network or network\$3) near3 (address or address\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:27
S10	3484	((subset or subsets) near3 (address or address\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:29
S11	44396	((address or address\$3) near3 (pool or pool\$1 or table))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:29
S12	3710	((malicious or harmful or hostile) near3 (user or users))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:31
S13	102	((configure or configur\$5) near5 ((security) near3 (restrict or restrict\$4)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:31

EAST Search History

S14	1	S7 and S8 and S9 and S10 and S11 and S12 and S13	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 11:45
S15	1	S7 same S8 same S9 same S10 same S11 same S12 same S13	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 11:55
S16	1829507	2002/0098840 A1	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 11:55
S17	319080	((user or user\$1) and (identifier or identification or UID))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:14
S18	103351	((network or network\$3) and (device or device\$1 or apparatus or equipment)) and ((security or authenticat\$3 or validat\$3) and (event or activit\$3 or incident)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:24
S19	327329	((network or network\$3) and (address or address\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:27
S20	92694	((subset or subsets) and (address or address\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:29
S21	362148	((address or address\$3) and (pool or pool\$1 or table))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:29
S22	40260	((malicious or harmful or hostile) and (user or users))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:31
S23	52436	((configure or configur\$5) and ((security) and (restrict or restrict\$4)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 13:44
S24	1224	S17 and S18 and S19 and S20 and S21 and S22 and S23	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 14:11
S25	311	("726".CLAS. or "713".CLAS.) and S24	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 16:58

EAST Search History

S26	0	PCT/us05/06738	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 15:26
S27	0	PCT/us05/06738	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 15:26
S28	569	("726".CLAS. or "713".CLAS. or "709".CLAS. or "370".CLAS.) and S24	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/08 17:00
S29	328	S28 and (firewall and router or routers)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/09 11:39
S30	1	"5787161"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/09 11:42
S31	5	"5933645"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/09 11:42
S32	1	2001/0051865	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:41
S33	1	"20010051865"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:43
S34	1	"20030041153"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:47
S35	1	"20030105866"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:48
S36	1	"20030105867"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:49

EAST Search History

S37	1	"20030105993"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:50
S38	2	"20030123421"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:51
S39	2	"20030149783"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:53
S40	1	"20030182433"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:54
S41	2	"20030191966"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:57
S42	0	2003/0217145	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:57
S43	1	"20030217145"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 09:58
S44	1	"20030217180"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 10:00
S45	1	"20030224788"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 10:00
S46	1	"20030236827"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 10:01
S47	1	"20040008682"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 10:02
S48	1	"20040034871"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/11 10:02

EAST Search History

S49	153	"5987611"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/14 09:51
S50	2	"20020098840"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/14 10:12
S51	153	"5987611"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/14 10:12
S52	1	((user or user\$1 or client or host) near6 (identifier or identification or UID or username or userid or userID)) and (network near6 device or IP near6 device or network near6 device) and (security near6 controller) and (security near6 event) and ((new or re- assignmet) ADJ (network ADJ address or IP ADJ address)) and ((subset or pool or table or tabular or set or collection) near6 (malicious or hostile or suspected or dangerous) near6 (network ADJ address or IP ADJ address or internet ADJ address)) and (rule or rules or regulation or regulations or policies or policy)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/20 13:03
S53	0	((user or user\$1 or client or host) near6 (identifier or identification or UID or username or userid or userID)) same (network near6 device or IP near6 device or network near6 device) same (security near6 controller) same (security near6 event) same ((new or re- assignmet) ADJ (network ADJ address or IP ADJ address)) same ((subset or pool or table or tabular or set or collection) near6 (malicious or hostile or suspected or dangerous) near6 (network ADJ address or IP ADJ address or internet ADJ address)) same (rule or rules or regulation or regulations or policies or policy)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/20 13:04

EAST Search History

S54	0	((user or user\$1 or client or host) near6 (identifier or identification or UID or username or userid or userID)) with (network near6 device or IP near6 device or network near6 device) with (security near6 controller) with (security near6 event) with ((new or re- assignmmet) ADJ (network ADJ address or IP ADJ address)) with ((subset or pool or table or tabular or set or collection) near6 (malicious or hostile or suspected or dangerous) near6 (network ADJ address or IP ADJ address or internet ADJ address)) with (rule or rules or regulation or regulations or policies or policy)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/20 13:06
S56	3	10/688051	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 08:04
S58	11	(security ADJ controller) and (coupl\$3 or link\$3 or connect\$3) and (identifier or identity or identification or username or id) and (restriction\$ or constraint\$) and (IP ADJ addresse\$3 or network ADJ address\$3) and (new or renew or reissue\$ or re-issue\$ or re-new or revitalize or refresh)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 08:14
S61	53373	"380"/.clas. or "726"/.clas. or "713"/.clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 08:14
S62	7	S58 and S61	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 08:36
S64	67	S63 and (user ADJ identifier)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 09:07
S65	2	S63 and (user ADJ identifier) and (security ADJ controller)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 09:07
S67	33	S66 and (user ADJ identifier)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 10:39

EAST Search History

S68	1111	(table or pool or collection or Catalog) and ((malicious or hostile or harmful) ADJ user) and (address\$2 or IP ADJ address\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 11:43
S69	68	S68 and (user ADJ identifier)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 11:42
S70	0	S68 and (useridentifier)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 10:54
S72	30	(table or pool or collection or Catalog) same ((malicious or hostile or harmful) ADJ user) same (address\$2 or IP ADJ address\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 12:41
S73	5	(table or pool or collection or Catalog) with ((malicious or hostile or harmful) ADJ user) with (address\$2 or IP ADJ address\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 11:23
S74	2	(table or pool or collection or Catalog) near3 ((malicious or hostile or harmful) ADJ user) near3 (address\$2 or IP ADJ address\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 11:21
S75	3	(table or pool or collection or Catalog) near6 ((malicious or hostile or harmful) ADJ user) near6 (address\$2 or IP ADJ address\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 10:56
S76	0	("2005/0204162").URPN.	USPAT	OR	ON	2007/10/23 11:21
S77	386	S68 and S61	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 11:43
S78	90	(table or pool or collection or Catalog) same ((malicious or hostile or harmful) ADJ user)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 12:48
S79	27	(table or pool or collection or Catalog) with ((malicious or hostile or harmful) ADJ user)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 14:21
S80	7	(table or pool or collection or Catalog) near3 ((malicious or hostile or harmful) ADJ user)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 12:59

EAST Search History

S81	11	(table or pool or collection or Catalog) near6 ((malicious or hostile or harmful) ADJ user)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 12:51
S82	0	((malicious or hostile or harmful) ADJ user ADJ (table or pool or collection or Catalog))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 12:49
S83	0	((malicious or hostile or harmful) ADJ (user or client or host or entity) ADJ (table or pool or collection or Catalog))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/23 12:49
S84	0	(security ADJ (policy or rules)) and (security ADJ (event or occurrence)) and ((renew or refresh or reregister or redistribute or aquire) ADJ (IP ADJ address)) and (DHCP or dynamic and host and configuration and protocol)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:30
S85	0	(security ADJ (policy or rules)) and (security ADJ (event)) and ((renew or refresh or reregister or redistribute or aquire) ADJ (IP ADJ address)) and (DHCP or dynamic and host and configuration and protocol)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:30
S86	0	(security ADJ (policy or rules)) and (security ADJ (event)) and ((renew or refresh or reregister or redistribute or aquire) ADJ (IP address)) and (DHCP or dynamic and host and configuration and protocol)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:30
S87	0	(security ADJ (policy or rules)) same (security ADJ (event or occurrence)) same ((renew or refresh or reregister or redistribute or aquire) ADJ (IP ADJ address)) same (DHCP or dynamic and host and configuration and protocol)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:31
S88	6157	dynamic and changing and security and policy	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:33
S89	7787	user ADJ identifier	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:33

EAST Search History

S90	795546	S89 and security controller	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:34
S91	10	S89 and security ADJ controller	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:36
S92	0	user and identifier and security and controller and network and device and event and (renew or refresh or re-distribute or redistribute or reregister or aquire) and (restriction or restrictions or limitation or limitations) and (address) and (malicious or hostile or attack or attacking)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:41
S93	0	user and (identifier or identification or username or identity) and security and (controller or manager) and network and device and event and (renew or refresh or re-distribute or redistribute or reregister or aquire) and (restriction or restrictions or limitation or limitations) and (address) and (malicious or hostile or attack or attacking)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:46
S94	0	user and (identifier or identification or username or identity) and security and (controller or manager) and network and device and (renew or refresh or re-distribute or redistribute or reregister or aquire) and (restriction or restrictions or limitation or limitations) and (address) and (malicious or hostile or attack or attacking)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:46
S95	0	user and (identifier or identification or username or identity) and security and (controller) and network and device and (renew or refresh or re-distribute or redistribute or reregister or aquire) and (restriction or restrictions or limitation or limitations) and (address) and (malicious or hostile or attack or attacking)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:53

EAST Search History

S96	10801	(refresh or redistribute or renew or reregister) and ((Internet and protocol and address) or (IP ADJ address))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:57
S97	671	(refresh or redistribute or renew or reregister) same ((Internet and protocol and address) or (IP ADJ address))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:55
S98	275	(refresh or redistribute or renew or reregister) with ((Internet and protocol and address) or (IP ADJ address))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:55
S99	168	(refresh or redistribute or renew or reregister) near3 ((Internet and protocol and address) or (IP ADJ address))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:56
S10 0	206	(refresh or redistribute or renew or reregister) near6 ((Internet and protocol and address) or (IP ADJ address))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:56
S10 1	3234	S96 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:00
S10 2	197	S97 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:01
S10 3	62	S98 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:59
S10 4	44	S99 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:59
S10 5	54	S100 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 15:59
S10 6	883	S101 and (user same (restriction or limiation or constraint))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:46
S10 7	197	S102 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:45

EAST Search History

S10 8	62	S103 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:45
S10 9	44	S104 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:45
S11 0	54	S105 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:45
S11 1	318	S106 and (security same (controller or manager))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:49
S11 2	48	S107 and (security same (controller or manager))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:48
S11 3	13	S108 and (security same (controller or manager))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:48
S11 4	10	S109 and (security same (controller or manager))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:48
S11 5	12	S110 and (security same (controller or manager))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:48
S11 6	257	S111 and (security same (event or instance or anomaly))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 12:35
S11 7	34	S112 and (security same (event or instance or anomaly))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 17:01
S11 8	5	S113 and (security same (event or instance or anomaly))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 17:00
S11 9	4	S114 and (security same (event or instance or anomaly))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:59

EAST Search History

S12 0	5	S115 and (security same (event or instance or anomaly))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/25 16:52
S12 1	206	(refresh or redistribute or renew or reregister) near6 ((Internet and protocol and address) or (IP ADJ address))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 10:54
S12 2	54	S121 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 10:54
S12 3	54	S122 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 10:54
S12 4	12	S123 and (security same (controller or manager))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 10:54
S12 5	168	(refresh or redistribute or renew or reregister) near3 ((Internet and protocol and address) or (IP ADJ address))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 12:25
S12 6	44	S125 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 12:25
S12 7	44	S126 and (user ADJ (identifier or identification or name or address or location))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 12:25
S12 8	10	S127 and (security same (controller or manager))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 12:32
S12 9	16	"4591662"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 12:32
S13 0	7811	"111" and ("713"/.clas. or "726"/.clas. or "380"/.clas.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 12:37
S13 1	94	(IP ADJ address) and (user ADJ (hostile or malicious or suspicious))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 16:14

EAST Search History

S13 2	3	(IP ADJ address) with (user ADJ (hostile or malicious or suspicious))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 16:15
S13 3	16	(IP ADJ address) same (user ADJ (hostile or malicious or suspicious))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/27 08:45
S13 4	2	(IP ADJ address) near3 (user ADJ (hostile or malicious or suspicious))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 16:15
S13 5	2	(IP ADJ address) near6 (user ADJ (hostile or malicious or suspicious))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/26 16:16